

Stylish Domes and Room in Room Structures

for events, congresses and offices



Minimum assembly and disassembly time



Rooms for 1 to 1000+ people



Optimal acoustics & sound insulation



No fan noise



Sustainable and circular



General

Inflatable U-Walls are inflatable partition walls and are the ultimate for use at trade fairs and conferences, where they can serve as a partition wall or as the back or side of an exhibition stand or presentation space. These inflatable walls can also be used to create separate spaces and to form walkways.

Applications

Inflatable U-Walls can for example be used to create temporary closed spaces at fairs and conferences.

U-Walls can be a solution for exhibition stands, semi-open meeting rooms, and product presentations.

QuickSpace U-Walls can also be placed opposite each other, creating an enclosed space with 2 entrances. In this way, 2 opposite walls can create a perfect space for workshops and presentations where privacy and optimal acoustics are required.

Acounstics And Soundproofing

Due to its design and insulating air layers, this U-Wall offers optimal acoustics. By using these walls, spaces can be separated from each other, whereby sound transmission is minimized.

The small blower is also completely insulated, so that it cannot be heard at all.

Installation / Dismantling

The U-Wall can be installed and dismantled quickly and easily by our team. Because this can be done so quickly, it is also possible, for example, to convert a large (plenary) hall into a hall with different rooms / walls in a short time, so that a hall can have multiple functions during an event day.

Led and Branding

The U-Walls can be illuminated in any desired color by means of our LED bars (also remotely).

There are also different ways of branding the inflatable U-Walls. For example:

- Placing banners or TVs in and around the U-Walls.
- Hanging banners or posters (there are loops at a height of 2 meters both inside and outside the U-Walls).
- Projecting logos or other messages by means of projection technique.
- -The color of the LED lighting that can display a particular theme.


Other Requirements

Only a normal power supply of 220V is required for the installation of the U-Wall.

All our domes and structures meet the requirements for fire safety according to the DIN 4102 – B1 standard. The certificate is available on request.







4/3.6 m (outer/inner)

2.5 m

12 / 11.2 m (outer/inner)





Contact

Phone:

- +31 6 41 67 57 07
- +31 6 12 98 62 31

E-mail:

info@quickspace.eu

QuickSpace B.V.

Lonnekerweg 298 7532 RD Enschede Nederland



facebook.com/quickspacedomes



instagram.com/quickspace_eu

Phone:

+49 176 55071328

E-mail:

info@quickspace.de

QuickSpace Zeltsysteme GmbH

Laarstr. 17 D-48529 Nordhorn Deutschland USt-ID: DE 322458558

